## 89FEP-1037

#### **Shell Freestanding Inflator**

The FEP model is purpose-built for service and gas stations, delivering safe, accurate, and reliable tyre inflation while enhancing your site's image. The cast baseplate and extruded aluminium body with high quality powder coat finish makes it ideal for any service station forecourt.

Features include selectable PSI/kPa units, a 'Flat Tyre Only' mode, high-quality piezo switches, and a ceramic pressure sensor for long-lasting performance.



#### **Features**





Safe &

**Accurate** 







**Designed for Forecourts** 

& extruded

Purpose made Supplied with 10 freestanding unit metre air hose and with cast baseplate Clip On Air chuck ensuring safe and aluminium body. accurate tyre pressure.



Easy to install, the

unit connects

seamlessly to any

on-site external

compressor.

Reliable & User Easy Install Friendly

> High reliability (vandal resistant) Piezo switches. For a user friendly experience.

**Multiple Colour Options** 

Colour, branding and decal options available, to enhance corporate image.

#### **Optional Item**



### **Light Kit**

#### Top plate LED visual display

This light is designed for night use, clearly indicating when a tyre has completed its cycle. The standard LED colour is blue, chosen for optimal visibility in low light conditions.

# **Technical Data**



# **Shell Freestanding Inflator**

Manufacturer's Warranty		For warranty information please visit our website:
 Varranty		
	94.0101	Tap Assembly Push Button Chrome ½" BSP
N. W. WILLIAM	49.7502	Vinyl Decal 'No Drinking'
Water	75.0114	Vinyl Decal, SH 'WATER'
WARNING  OF S  OF	49.7501	Vinyl Decal, SH Warning
	61.0001	Hose Assy Standard Grey 10m
	22.0000	Hose Coupling Cover
ncluded Part	S	
Accuracy		± 0.5% Full Scale
Range		5 ~ 60 psi   35 ~ 415 kPa (145 psi option on request)
Measurement		psi   kPa
Dimensions		320W x 1400H x 320D mm
Power		220 ~ 240VAC (Optional 12VDC)
Construction		Extruded Aluminium Enclosure (IP 46)
Specifications	8	

# **Technical Data**





#### **Installation Drawings**

