

89FEP-5001

Digital Vehicle & Bike Tyre Inflator



The 89FEP-5001 inflator model comes with the choice of dual inflation mode - vehicle and bicycle tyres. The model is purpose-built for Service Stations, delivering safe, accurate, and reliable tyre inflation. The cast baseplate and extruded aluminium body with high quality powder coat finish makes it ideal for any service station forecourt. Features include selectable PSI/kPa units, a 'Flat Tyre Only' mode, high-quality piezo switches, and a ceramic pressure sensor for long-lasting performance.



Features



Designed for Forecourts

Purpose made freestanding unit with cast baseplate & extruded aluminium body.



Safe & Accurate

Supplied with appropriate hoses & connections for vehicle & bicycle inflation ensuring safe, accurate tyre pressure.



Easy Install

Easy to install, the unit connects seamlessly to any on-site external compressor.



Reliable & User Friendly

High reliability (vandal resistant) piezo switches. For a user friendly experience.



Multiple Colour Options

Colour, branding and decal options available, to enhance corporate image.

Optional Item



Light Kit

Top plate LED visual display

This light is designed for night use, clearly indicating when a tyre has completed its cycle. The standard LED colour is blue, chosen for optimal visibility in low light conditions.

Technical Data

Digital Vehicle & Bike Tyre Inflator



Specifications

Construction	Extruded Aluminium Enclosure (IP 46)
Power	220 ~ 240VAC (Optional 100~120VAC)
Dimensions	320W x 1400H x 320D mm
Measurement	psi kPa
Range	5 ~ 60 psi 35 ~ 415 kPa
Accuracy	± 0.5% Full Scale

Included Parts

	22.0000	Hose Coupling Cover
	61.0008	Hose Assy Standard Black 10m
	61.0007	Bike Hose Kit
	77.0298	Warning Decal / Bike chuck Instructions

Warranty

Manufacturer's Warranty

For warranty information please visit our website
www.smartobm.com

Technical Data

Digital Vehicle & Bike Tyre Inflator



Installation Drawings

