

89FRP - Blue Freestanding Inflator

89FRP-1139



89FRP-1139

89FRP - Inflator Freestanding Blue

The FRP model has been specifically designed for the service and gas station industry where air cannot be provided. Also suitable for sites with no gas as there is no requirement for an external compressor.; enhancing corporate image and providing safe, accurate and reliable tyre inflation for customers.

The deep extruded enclosure provides room for an in-built compressor. The FRP series can be operated in different pressure measurement units: PSI or kPa can be selected by pressing the 'i' button. The 'Flat Tyre only' button starts the inflation process when the pressure in the tyre is less than 3 psi or 20 kPa. High quality piezo switches and a ceramic pressure sensor ensure years of trouble free operation.

The FRP kit includes a compressor, 10m air hose kit and a coupling cover to protect your hose against theft. Fixed hoses are recommended for Australian conditions; however, retractable air and water hose systems are also available for the unit. A range of high-grade powder coat colours are available to match most corporate images. Custom decals are available on request.





89FRP - Blue Freestanding Inflator

89FRP-1139



Features

Blue forecourt inflator

Rugged, stylish die-cast aluminium enclosure with high quality powder coat finish

Easy installation

High reliability (vandal resistant) Piezo switches

Supplied with fixed hose (optional retractable hose available)

International approvals



Specifications	
Construction	Extruded Aluminium Enclosure
Dimensions	390W x 1400H x 440D mm
Power	220 ~ 240VAC
Measurement	Psi kPa
Range	5 ~ 60 psi 35~415 kPa
Accuracy±	±0.5% Full Scale

Included Accessories







89FRP - Blue Freestanding Inflator

89FRP-1139

Optional Accessories



